

SKG-IKOB PRODUCTCERTIFICATE

443.632.01

Date of issue: 27-05-2016



Certificate holder

Simons Voss Technologies GmbH
Feringastrasse 4
D-85774 Unterföhring
T: +49 (0) 89 99 22 80
F: +49 (0) 89 99 22 82 22
E: info@simons-voss.de
I: www.simons-voss.de



Declaration of SKG-IKOB

This certificate has been issued on the basis of BRL 3104 in accordance with the SKG-IKOB Regulations for Attestation, Certification and Inspection.

SKG-IKOB declares that the by or on behalf of the certificate owner produced building hardware product:

long plate with electro mechanical handle link

delivered under logo / brand:

Simons Voss

delivered under type- and / or article number:

SH AS (option) C 00 1 yK z a DP , SH AS (option) D 00 1 yK z a DP option: SI

meets class 2 STER according BRL 3104 and NEN 5089: 2009 if the product is indelibly marked with the SKG mark, as shown above.

For SKG-IKOB

A blue ink handwritten signature, appearing to be "H.A.J. van Dartel", written over a horizontal line.

ir. H.A.J. van Dartel
Certification manager

Verify at www.sterrenwijzer.nl if this certificate is still valid and actual.
This certificate contains 2 pages.

CERTIFICATE

SKG-IKOB Certificatie
Poppenbouwing 56
4191 NZ Geldermalsen

Postbus 202
4190 CE Geldermalsen

T 088-2440100
info@skgikob.nl
www.skgikob.nl

SKG-IKOB PRODUCTCERTIFICATE

Simons Voss Technologies GmbH
Number: 443.632.01

page 2 of 2

1. PRODUCT

long plate with electro mechanical handle link

MAIN GROUP

security furniture

2. TECHNICAL SPECIFICATION:

Construction: 1 set of an outside part and an inside part with mounting screws

Operating / System: for 17 mm cylinders; various handles,

Material: out- and inside: zinc coated steel with inox cover

Dimension: outside part: 230x59x19 mm; inside part: 230x59x25 mm

Fixing: 3x M5 in steel bus

Intended use: wood, PVC, metal
in combination with mortice locks on doors

3. DELIVERY

The delivery includes an installation instruction:
BS11.990525 juni 2015

4. PERFORMANCES

A long plate with electro mechanical handle link according this certificate fulfils the relevant requirements of BRL 3104.

A window- or door set, in which this long plate with electro mechanical handle link is installed according the installation instructions of the certificate holder meets at least burglar resistance class (RC) 2 of NEN 5096 and EN 1627, if:

- the façade element or the (profile-)system from which the element is manufactured is delivered under a (KOMO-)quality approval with respect to the aspect burglar resistance, in which the actual window or door type is admitted and the herein mentioned conditions are fulfilled. Remark: In façade elements in accordance with a burglar resistance class (RC) of EN 1627 only SKG*** cylinders are applicable.

A window or door, in existing buildings, in which this long plate with electro mechanical handle link is installed according the installation instructions of the certificate holder, meets the requirements of the Police Mark Save Housing (PKVW) - Existing Building, if:

- the other aspects of the façade element also comply with the applicable PKVW Protection directive (publication CCV).
-